


## Cable Rings and Saddles



**Extra Long Galvanized & Stainless Steel Cable Rings**



**Cable Ring Saddles for Standard Length & Extra Long Cable Rings**

*Nicopress has designed and patented technology for Cable Rings and Saddles for more than 100 years. We have provided this safe, mechanically sound method for aerial distribution support of all types of electrical, control, and communications cables, as well as mechanical piping, tubing, and hose in many applications including:*

- Power Utility
- Solar Power Plants
- Traffic Signal
- Telecommunications Data
- Railroad & Transit
- Electrical Construction
- Oil Pipelines, Oil Refineries
- Chemical Plants
- Mines & Tunnels
- Steel, Pulp & Paper Mills

### **Strong, durable aerial distribution support.**

Nicopress cable rings are manufactured for maximum strength from galvanized, stainless and copper covered (Copperweld®) steel with PVC coated options. They are available in a variety of diameters and standard or extra long length to fit on an exact messenger wire size to prevent slippage.

Nicopress saddles are available in aluminum or stainless steel in a variety of diameters. They are strong and lightweight with a wide load bearing area in the carrier section of the cable ring. This provides extra support and protection which is especially important when running heavy or multiple cables.

Cable rings and saddles can be combined depending upon the environment to provide various application solutions. Stainless and galvanized steel cable rings are ideal for more demanding environments while PVC coated are insulated and spark resistant.

Extra long cable rings can be used in combination with standard cable rings and saddles for running several cables or bundles independently from the same messenger wire.

### **Quick, easy installation.**

Nicopress cable rings and saddles are installed easily within seconds and lock into place for a safe, secure solution.

### **Cost effective, long term solution.**

Nicopress cable rings and saddles offer exceptional reliability and long life as an aerial distribution support application compared to expensive cable burial or cable tray applications.

## STANDARD LENGTH CABLE RINGS - GALVANIZED & STAINLESS STEEL CABLE RINGS

Ring Diameter Inches / mm	Messenger Size Inches / mm	Max Cable Diameter Inches / mm	Length Under Strand Inches / mm	Approx wt lbs per 1k Lbs / Kg	Qty / box
1-1/2	3/16 1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	1-3/16	2-1/2	50	1000
40	5 6 7 8 9 10 11 13 14 16	30	65	22	
2	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	1-9/16	2-7/8	55	500
50	6 7 8 9 10 11 13 14 16	40	75	24	
2-1/2	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	1-15/16	3-1/2	100	500
65	6 7 8 9 10 11 13 14 16	50	90	45	
3	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	2-1/4	4-1/8	120	400
75	6 7 8 9 10 11 13 14 16	60	105	54	
3-1/2	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	2-5/8	4-1/2	130	300
90	6 7 8 9 10 11 13 14 16 19	70	115	60	
4	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	3	5	170	200
100	8 9 10 11 13 14 16 19	75	125	77	
4-1/2	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	3-1/2	5-1/2	190	200
115	8 9 10 11 13 14 16 19	90	140	86	
5	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	4	6-1/4	220	200
130	8 9 10 11 13 14 16 19	100	160	100	
6	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	5	7-1/4	235	150
150	8 9 10 11 13 14 16 19	130	185	108	

## EXTRA LONG GALVANIZED & STAINLESS STEEL CABLE RINGS

Ring Diameter Inches / mm	Messenger Size Inches / mm	Max Cable Diameter Inches / mm	Length Under Strand Inches / mm	Approx wt lbs per 1k Lbs / Kg	Qty / box
1-1/2	3/16 1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	1-3/16	4	115	500
40	5 6 7 8 9 10 11 13 14 16	30	100	52	
2	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	1-9/16	4-7/8	160	300
50	6 7 8 9 10 11 13 14 16	40	125	72	
2-1/2	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	1-15/16	6	210	250
65	6 7 8 9 10 11 13 14 16	50	152	95	
3	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8	2-1/4	7-1/8	220	200
75	6 7 8 9 10 11 13 14 16	60	180	100	
3-1/2	1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	2-5/8	8	235	200
90	6 7 8 9 10 11 13 14 16 19	70	200	105	
4	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	3	9	255	150
100	8 9 10 11 13 14 16 19	75	230	115	
4-1/2	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	3-1/2	10	270	150
115	8 9 10 11 13 14 16 19	90	255	122	
5	5/16 11/32 3/8 7/16 1/2 9/16 5/8 3/4	4	11-1/4	290	150
130	8 9 10 11 13 14 16 19	100	285	132	

## CABLE RING SADDLES

Ring Diameter Inches / mm	GALVANIZED STEEL Approx wt per 1k Lbs / Kg	STAINLESS STEEL Approx wt per 1k Lbs / Kg	ALUMINUM Approx wt per 1k Lbs / Kg	Qty / box
1-1/2 / 40	78 / 35	62 / 28	30 / 14	1000
2 / 50	93 / 42	71 / 32	35 / 16	500
2-1/2 / 65	102 / 46	83 / 38	40 / 18	500
3 / 75	120 / 54	99 / 45	50 / 23	400
3-1/2 / 90	136 / 62	107 / 48	52 / 24	300
4 / 100	149 / 68	123 / 56	60 / 27	200
4-1/2 / 115	168 / 76	132 / 60	64 / 29	200
5 / 130	180 / 82	142 / 64	71 / 32	200
6 / 150	180 / 82	142 / 64	71 / 32	150

